



Aluminium boats

ACCESSORIES 2020

GREETINGS FROM SWEDEN



ARKIP 530 BR • ARKIP 460 • SPORTSMAN 445 B/M/C • SPORTSMAN 400 • SPORTSMAN 355 • FISHING 440 • FISHING 410
INKAS 525 • INKAS 495 • INKAS 465 • INKAS 465L

ALUMINIUM BOATS FROM SMÅLAND

A FORM-STRETCHED HULL

Aluminium has yet another major advantage as regards, for example, designing bodywork, beams and, as here, hulls – it is exceedingly formable.

Linder aluminium boats are made using so-called “form stretching”. The sheet metal for the hull is shaped (stretched) around a form. This form produces the familiar, soft and harmonic lines that constitute one of our trademarks. This forming technology saves energy because it tempers most of our aluminium alloys. Consequently, the sheets do not need to be heat hardened.

Where other manufacturers use welding, or in the worst cases, riveting to join hull sections, Linder has a different approach. We join both sections using screws and a unique keel profile. The seal is so precise that, as neither light nor oxygen can get to the sealing compound, there is no ageing. Our production methods give a superior finish that has fewer joints and thus reduces the risks of leaks and wear.

LINDER ORIGINAL ACCESSORIES

Linder Original is a vast range of the highest quality functional accessories that make owning a Linder even easier. A cover, a replacement for a lost drain plug, motor mounts, oars, paddles... Or why not treat yourself to a solar cell unit for a Fishing 440?

Use this range guide to select the boat or canoe of your choice. All standard equipment is included in your purchase. This is an area where we often outperform our competitors. You can, of course, also select from the accessories in this guide.

www.linder.se

Visit our website for even more information and the latest news.



DNV·GL

Our boats and canoes are approved by DNV – Det Norske Veritas (www.dnvgl.com).

Our boats are Securmark security marked. Securmark offers Scandinavia's most complete system for boat marking. Boats are marked with small microdots that contain an ID number. They are located at several places in the boat [www.securmark.se]. All costs for registering this security marking are paid by Linder. All you have to do is register your boat (over the internet or using the form that comes with the boat).

ARKIP 530 BR*




With a double hull and gunwale, a motor boat that planes easily and holds max. 6 people. The slender shape and 16° hull angle ensure a low planing threshold. This promises speed. Buoyancy in hull sides, a self-bailer and, obviously enough, a 2.7 mm aluminium hull give you a feeling of security, even if you happen to run aground. Three-year guarantee.

Art. no. 530000



| SPECS | STANDARD EQUIPMENT | ACCESSORIES |
|---|---|-----------------------------------|
| Length 576 cm with bathing platform | - Double console with fitted door and hydraulic steering | - Water skiing tow bar |
| Width 214 cm | - 9" Garmin GPS MAP 92sv/sonar with ClearVü transducer, adjustable transducer mount | - Console cover |
| Total height 178 cm | - Two gas-sprung flip-up comfort seats (vertically and laterally adjustable) | - Sun/fishing deck |
| Weight 610 kg | - Self-bailer | - Bow seat pads |
| Max. weight with motor 838 kg | - Automatic bilge pump | - Tube rod holder |
| Freeboard height 81 cm | - Bow foredeck suitable for electric motor | - Trolling rod holder |
| Interior height 67 cm | - Toe rail with easy-to-grip grab rails in anodised aluminium | - Rod holder |
| Hull height 112 cm | - Anti-slip aluminium floor grid | - Fishing lure holder |
| Hull thickness 2.7 mm | - Two seat covers | - Mug holder |
| Hull angle 16° | - Stern/rear seat (removable) with seat pads | - Securing kit with chain (2.5 m) |
| Rec. motor 70-100 hp (51-74.6 kW) | - 10 stowage compartments, incl. 3 lockable, two removable stowage spaces in the bow and one in the stern | - Starter kit |
| Max. motor power 100 hp (74.6 kW) | - Stern cover with integrated foldaway cover box | |
| Control cable length 4.80 m | - Bow seat with integrated step | |
| Steering cable length 4.80 m (hydraulic steering) | - Bathing platform with bathing ladder | |
| Shaft length Long | - Fixed fuel tank, 67 litres | |
| Max. load 675 kg | - Room for two removable tanks | |
| Max. no. people 6 | - C-tec socket | |
| Approved bow eye Insurance class 3 | - Deutsch connector | |
| CE marked for category C Inshore | - USB/12 V power outlet | |
| | - Navigation lights with LEDs in bow and stern (removable) | |
| | - Main power switch with circuit breakers | |
| | - "Navalloy" anode for both fresh and salt water | |
| | - Front mooring shackle and rear mooring eye | |
| | - Manual pump | |
| | - 4 bollards | |
| | - Fire extinguisher | |
| | - Drain plug | |
| | - Securmark security marking | |
| | - DNV approval | |

WE PRE-MOUNT RIGGING KIT
A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer's partners.



* BR stands for bow rider, a motor boat with a windscreen to protect people riding in the open bow. As regards hull shape, bow riders are most often day cruisers or hard tops.

ARKIP 460




CLASS WINNER – With sturdy toe rail, easy-to-grip grab rails, aluminium floor grid and ample passenger and stowage space, a planing, family boat for max. 5 people. Ideal for a large number of free time activities such as waterskiing and sea/lake fishing. Arkip 460 is also an excellent transport boat and is easy to trailer. Three-year guarantee.

Art. no. 460000



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|------------------------|---------------------|---|-----------------------------------|
| Length | 460 cm | - Steering console with windscreen | - Water skiing tow bar |
| Width | 185 cm | - 9" Garmin GPS MAP 92sv/sonar with ClearVü transducer, adjustable transducer mount | - Left console |
| Total height | 142 cm | - Rod box, 150 cm | - Console cover |
| Weight | 292 kg | - Automatic bilge pump | - Electric motor mount, stern |
| Max. weight with motor | 475 kg | - Bow foredeck suitable for electric motor | - Sun/fishing deck |
| Freeboard height | 58 cm | - Toe rail with easy-to-grip grab rails in anodised aluminium | - Stern seat pads |
| Interior height | 60 cm | - Anti-slip aluminium floor grid | - Bow seat pads |
| Hull height | 80 cm | - Stern/rear seat | - Sun deck seat pads |
| Hull thickness | 2.4 mm | - Bow seat | - Tube rod holder |
| Hull angle | 12° | - 5 stowage compartments, incl. 3 lockable | - Trolling rod holder |
| Rec. motor | 30-50 hp (22-38 kW) | - Bathing ladder | - Rod holder |
| Max. motor power | 50 hp (38 kW) | - 12 V power outlet | - Fishing lure holder, aluminium |
| Control cable length | 2.10 m | - Navigation lights with LEDs in bow and stern (removable) | - Mooring cover |
| Steering cable length | 2.70 m | - Main power switch with circuit breakers | - Stern cover, single console |
| Shaft length | Long | - "Navalloy" anode for both fresh and salt water | - Stern cover, double console |
| Max. load | 525 kg | - Bow and stern mooring eyes | - Windshield, double console |
| Max. no. people | 5 | - 4 bollards | - Mug holder |
| Approved bow eye | Insurance class 3 | - Fire extinguisher | - Bow rail rowlock holder |
| CE marked for category | C Inshore | - Drain plug | - Securing kit with chain (2.5 m) |
| | | - Securmark security marking | - Starter kit |
| | | - DNV approval | - Gunwale bucket |

WE PRE-MOUNT RIGGING KIT
A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer's partners.



SPORTSMAN 445 CATCH



A planing, fishing boat for lakes, sea and max. 3 people. Equipped with fishing platform. In developing 445 Catch, we collaborated with experienced sports fishers. The boat even has provision for a remotely controlled electric motor in the bow. Today's electric motors are operated via a remote control on the wrist, the boat turning on a sixpence. Special electric drive mount in the stern. Three-year guarantee.

Art. no. 445000C



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|------------------------|---------------------|---|--|
| Length | 451 cm | - Steering console with windscreen | - Fishing chair (collapsible back, incl. column) |
| Width | 175 cm | - Garmin GPS/sonar with transducer, adjustable transducer mount | - Fishing deck carpet |
| Total height | 140 cm | - Automatic bilge pump | - Electric motor mount, stern |
| Weight | 252 kg | - Fishing rod box (step) | - Stern seat pads |
| Max. weight with motor | 397 kg | - Fishing lure holder | - Tube rod holder |
| Freeboard height | 50 cm | - Fish ruler | - Trolling rod holder |
| Interior height | 60 cm | - Rod holder | - Rod holder |
| Hull height | 73 cm | - Rod holder | - Fishing lure holder, aluminium |
| Hull thickness | 2.0 mm | - Bow foredeck suitable for electric motor | - Mooring cover |
| Hull angle | 9° | - Toe rail with easy-to-grip grab rails in anodised aluminium | - Console cover |
| Rec. motor | 20-30 hp (14-23 kW) | - Anti-slip aluminium floor grid | - Mug holder |
| Max. motor power | 30 hp (23 kW) | - Fishing chair mount | - Securing kit with chain (2.5 m) |
| Control cable length | 2.10 m | - 6 stowage compartments, incl. one lockable | - Starter kit |
| Steering cable length | 2.70 m | - Rescue ladder | - Gunwale bucket |
| Shaft length | Long | - 12 V power outlet | |
| Max. load | 465 kg | - Main power switch with circuit breakers | |
| Max. no. people | 3 | - "Navalloy" anode for both fresh and salt water | |
| Approved bow eye | Insurance class 3 | - Bow and stern mooring eyes | |
| CE marked for category | C Inshore | - 4 bollards | |
| | | - Drain plug | |
| | | - Securmark security marking | |
| | | - DNV approval | |



SPORTSMAN 445 MAX



A planing, family boat, max. 4 people, suitable for sea/lake fishing as well as waterskiing. Stowage spaces in stern, midship seats and bow deck. 445 Max can also be equipped with a battery pack and, for example, a Torqeedo 10.0 kW electric drive (equivalent to a 20-hp petrol motor). Easy to trailer. Three-year guarantee.

Art. no. 445000M



SPECS

| | |
|------------------------|---------------------|
| Length | 451 cm |
| Width | 175 cm |
| Total height | 140 cm |
| Weight | 227 kg |
| Max. weight with motor | 372 kg |
| Freeboard height | 50 cm |
| Interior height | 60 cm |
| Hull height | 73 cm |
| Hull thickness | 2.0 mm |
| Hull angle | 9° |
| Rec. motor | 20-30 hp (14-23 kW) |
| Max. motor power | 30 hp (23 kW) |
| Control cable length | 1.80 m |
| Steering cable length | 2.40 m |
| Shaft length | Long |
| Max. load | 465 kg |
| Max. no. people | 4 |
| Approved bow eye | Insurance class 3 |
| CE marked for category | C Inshore |

STANDARD EQUIPMENT

- Steering console with windscreen
- Garmin GPS/sonar with transducer, adjustable transducer mount
- Automatic bilge pump
- Bow foredeck suitable for electric motor
- Toe rail with easy-to-grip grab rails in anodised aluminium
- Anti-slip aluminium floor grid
- Stern seat
- Midship seat
- Bow seat
- 4 stowage compartments, incl. 2 lockable
- Rescue ladder
- 12 V power outlet
- Main power switch with circuit breakers
- "Navalloy" anode for both fresh and salt water
- Bow and stern mooring eyes
- 4 bollards
- Drain plug
- Securmark security marking
- DNV approval

ACCESSORIES

- Fishing platform
- Electric motor mount, stern
- Seat pads, complete set
- Tube rod holder
- Trolling rod holder
- Rod holder
- Fishing lure holder, aluminium
- Retrofit light set
- Mooring cover
- Console cover
- Mug holder
- Securing kit with chain (2.5 m)
- Starter kit
- Gunwale bucket

WE PRE-MOUNT RIGGING KIT
A Linder boat gives you the freedom to choose the motor supplier you prefer. In certain markets, the choice of motor may vary depending on the importer's partners.



SPORTSMAN 445 BASIC



A planing motor boat suitable for day trips, sea/lake fishing and max. 4 people. Stowage space in the stern and midship seats. 445 Basic comes with aluminium oars. Easy to trailer. Three-year guarantee.

Art. no. 445000B



SPECS

| | |
|------------------------|--------------------|
| Length | 451 cm |
| Width | 175 cm |
| Weight | 189 kg |
| Max. weight with motor | 319 kg |
| Freeboard height | 50 cm |
| Interior height | 60 cm |
| Hull height | 73 cm |
| Hull thickness | 2.0 mm |
| Hull angle | 9° |
| Rec. motor | 10-20 hp (7-15 kW) |
| Max. motor power | 20 hp (15 kW) |
| Shaft length | Long |
| Max. load | 484 kg |
| Max. no. people | 4 |
| Approved bow eye | Insurance class 3 |
| CE marked for category | C Inshore |

STANDARD EQUIPMENT


- Anti-slip aluminium floor grid
- Automatic bilge pump
- Bow foredeck suitable for electric motor
- 9' aluminium oars
- Oar blade holder
- Safety rowlock
- Stern seat
- Midship seat
- Bow seat
- 4 lockable stowage compartments
- Rescue ladder
- "Navalloy" anode for both fresh and salt water
- Bow and stern mooring eyes
- 4 bollards
- Drain plug
- Securmark security marking
- DNV approval

ACCESSORIES

- Fishing platform
- Grab rail, bow pulpit rail
- Electric motor mount, stern
- Seat pads, complete set
- Tube rod holder
- Trolling rod holder
- Fishing lure holder, aluminium
- Sonar transducer mount, adjustable
- Retrofit light set
- Mooring cover
- Aluminium rowlock
- Oar blade holder
- Securing kit with chain (2.5 m)
- Starter kit
- Gunwale bucket



SPORTSMAN 400




A planing, family boat for lakes, skerries, coastal waters and max. 4 people. With a steering console, the Sportsman 400 is also appropriate for waterskiing (lighter people). Easy to trailer. Three-year guarantee.

Art. no. 400000



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|--------------------------------------|---------------------|-------------------------------------|--------------------------------------|
| Length | 401 cm | - 9' aluminium oars | - Steering console |
| Width | 164 cm | - Oar blade holder | - Steering console windscreen |
| Weight | 125 kg | - Safety rowlock | - Solar cell pack |
| Max. weight with motor | 271 kg | - Stern seat | - Bow foredeck for electric motor |
| Freeboard height | 47 cm | - Midship seat | - Electric motor mount, stern |
| Interior height | 60 cm | - Bow seat | - Grab rail, bow pulpit rail |
| Hull height | 63 cm | - Two lockable stowage compartments | - Aluminium flooring |
| Hull thickness | 1.8 mm | - Rescue ladder | - Wooden flooring |
| Hull angle | 8° | - Bow and stern mooring eyes | - Tube rod holder |
| Rec. motor | 6-10 hp (4-8 kW) | - Drain plug | - Trolling rod holder |
| with steering console | 15-20 hp (11-15 kW) | - Securmark security marking | - Fishing lure holder, aluminium |
| Max. motor power | 20 hp (15 kW) | - DNV approval | - Sonar transducer mount, adjustable |
| Control cable length (Side console) | 1.80 m | | - Rail |
| Control cable length (Mid console) | 2.70 m | | - Retrofit light set |
| Steering cable length (Side console) | 2.40 m | | - Mooring cover |
| Steering cable length (Mid console) | 3.30 m | | - Cover (drivable) |
| Shaft length | Long | | - Anode kit |
| Max. load | 420 kg | | - Securing kit with chain (2.5 m) |
| Max. no. people | 4 | | - Starter kit |
| Approved bow eye | Insurance class 3 | | - Bollard |
| CE marked for category | D Sheltered waters | | - Automatic bilge pump |
| | | | - Smart wave/Länsman bilge pump |
| | | | - Gunwale bucket |

SPORTSMAN 355




A planing motor boat for lakes, small/larger rivers and max. 3 people. Also suitable for young people. Thanks to its seaworthiness and manoeuvrability, the Sportsman 355 can advantageously be used as a rescue boat. Easy to trailer. Three-year guarantee.

Art. no. 355000



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|------------------------|--------------------|-------------------------------------|--------------------------------------|
| Length | 355 cm | - 8' aluminium oars | - Electric motor mount, stern |
| Width | 146 cm | - Oar blade holder | - Grab rail, bow pulpit rail |
| Weight | 84 kg | - Safety rowlock | - Aluminium flooring |
| Max. weight with motor | 157 kg | - Stern seat | - Wooden flooring |
| Freeboard height | 45 cm | - Midship seat | - Tube rod holder |
| Interior height | 51 cm | - Bow seat | - Trolling rod holder |
| Hull height | 54 cm | - Two lockable stowage compartments | - Fishing lure holder, aluminium |
| Hull thickness | 1.7 mm | - Rescue ladder | - Sonar transducer mount, adjustable |
| Hull angle | 2° | - Bow and stern mooring eyes | - Retrofit light set |
| Rec. motor | 6-8 hp (4-6 kW) | - Drain plug | - Mooring cover |
| Max. motor power | 8 hp (6 kW) | - Securmark security marking | - Anode kit |
| Shaft length | Short | - DNV approval | - Securing kit with chain (2.5 m) |
| Max. load | 320 kg | | - Starter kit |
| Max. no. people | 3 | | - Bollard |
| Approved bow eye | Insurance class 3 | | - Smart wave/Länsman bilge pump |
| CE marked for category | D Sheltered waters | | - Gunwale bucket |



FISHING 440



BEST SELLER – A light but stable, clinker-built rowboat that is ideal for lakes, skerries, coastal waters and max. 4 people. Fishing 440 has the market's lowest petrol consumption – 0.11 litres per sea mile with one person at seven knots. Can advantageously be equipped with our solar cell unit. Easy to row. Easy to trailer. Three-year guarantee. Art. no. 440000



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|------------------------|---------------------|-------------------------------------|--|
| Length | 431 cm | - 9' aluminium oars | - Solar cell pack |
| Width | 164 cm | - Oar blade holder | - Electric motor mount, stern |
| Weight | 94 kg | - Safety rowlock | - Grab rail, bow pulpit rail |
| Max. weight with motor | 139 kg | - Stern seat | - Wooden flooring |
| Freeboard height | 50 cm | - Midship seat | - Tube rod holder |
| Interior height | 54 cm | - Bow seat | - Trolling rod holder |
| Hull height | 60 cm | - Two lockable stowage compartments | - Fishing lure holder, aluminium |
| Hull thickness | 1.7 mm | - Rescue ladder | - Sonar transducer mount, adjustable |
| Rec. motor | 2.5-5 hp (1.8-4 kW) | - Bow and stern mooring eyes | - Retrofit light set |
| Max. motor power | 5 hp (4 kW) | - Drain plug | - Tiller extender/telescopic outboard motor handle |
| Shaft length | Short | - Securmark security marking | - Cover (drivable) |
| Max. load | 400 kg | - DNV approval | - Mooring cover |
| Max. no. people | 4 | | - Anode kit |
| Approved bow eye | Insurance class 3 | | - Securing kit with chain (2.5 m) |
| CE marked for category | D Sheltered waters | | - Starter kit |
| | | | - Bollard |
| | | | - Automatic bilge pump |
| | | | - Smart wave/Länsman bilge pump |
| | | | - Gunwale bucket |

FISHING 410



A light, clinker-built rowboat for lakes and max. 3 people. Simple for one person to launch and retrieve. Fuss-free transport between lakes. Easy to row. Easy to trailer. Three-year guarantee. Art. no. 410000



| SPECS | | STANDARD EQUIPMENT | ACCESSORIES |
|------------------------|-------------------------|-------------------------------------|--|
| Length | 403 cm | - 8.5' aluminium oars | - Electric motor mount, stern |
| Width | 156 cm | - Oar blade holder | - Grab rail, bow pulpit rail |
| Weight | 75 kg | - Safety rowlock | - Wooden flooring |
| Max. weight with motor | 97 kg | - Stern seat | - Tube rod holder |
| Freeboard height | 50 cm | - Midship seat | - Trolling rod holder |
| Interior height | 57 cm | - Bow seat | - Fishing lure holder, aluminium |
| Hull height | 63 cm | - Two lockable stowage compartments | - Sonar transducer mount, adjustable |
| Hull thickness | 1.7 mm | - Rescue ladder | - Retrofit light set |
| Rec. motor | 2.5-3.5 hp (1.8-2.7 kW) | - Bow and stern mooring eyes | - Tiller extender/telescopic outboard motor handle |
| Max. motor power | 3.5 hp (2.7 kW) | - Drain plug | - Mooring cover |
| Shaft length | Short | - Securmark security marking | - Anode kit |
| Max. load | 300 kg | - DNV approval | - Securing kit with chain (2.5 m) |
| Max. no. people | 3 | | - Starter kit |
| Approved bow eye | Insurance class 3 | | - Bollard |
| CE marked for category | D Sheltered waters | | - Automatic bilge pump |
| | | | - Smart wave/Länsman bilge pump |
| | | | - Gunwale bucket |




RECOMMENDED MOTORS

| | | ARKIP 530 BR | ARKIP 460 | SPORTSMAN 445 CATCH | SPORTSMAN 445 MAX | SPORTSMAN 445 BASIC | SPORTSMAN 400 | SPORTSMAN 355 | FISHING 440 | FISHING 410 |
|---------------------------------|---------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|-------------------------------------|--------------------------------------|-----------------------|-------------------------------------|------------------------------------|
| Electric drive Yamaha M12 | Full power | | | | | | | | 3 knots | 3 knots |
| | Reduced power approx. 20-25% | | | | | | | | 2 knots | 2 knots |
| Electric drive Yamaha M26 | Full power | | | | | | | | 4 knots | 4 knots |
| | Reduced power approx. 20-25% | | | | | | | | 3 knots | 3 knots |
| 2.5 hp | 1 person | | | | | | | | 7 knots ¹⁾ | 8 knots 4,800 rpm ¹⁾ |
| | 2 people | | | | | | | | 6 knots ¹⁾ | 5 knots 4,900 rpm ¹⁾ |
| Electric drive Torqeedo 1003 | Full power | | | | | | | | 5 knots ²⁾ | |
| | Reduced power approx. 20-25% | | | | | | | | 3 knots ²⁾ | |
| 4 hp | 1 person | | | | | | | | 9 knots 5,100 rpm ¹⁾ | |
| | 2 people | | | | | | | | 8 knots 4,200 rpm ¹⁾ | |
| 5 hp | 1 person | | | | | | | | 11 knots 5,500 rpm ¹⁾ | |
| | 2 people | | | | | | | | 8 knots 5,400 rpm ¹⁾ | |
| 6 hp | 1 person | | | | | | 17 knots 5,600 rpm | 15 knots 5,700 rpm | | |
| | 2 people | | | | | | 13 knots 5,200 rpm | 11 knots 5,300 rpm | | |
| 8 hp | 1 person | | | | | | 19 knots 5,600 rpm | 19 knots 5,700 rpm | | |
| | 2 people | | | | | | 16 knots 5,200 rpm | 16 knots 5,300 rpm | | |
| 10 hp | 1 person | | | | | 18 knots 5,800 rpm ¹⁾ | 21 knots 5,600 rpm | | | |
| | 2 people | | | | | 15 knots 5,450 rpm ¹⁾ | 18 knots 5,400 rpm | | | |
| 15 hp | 1 person | | | | | 22 knots 6,100 rpm ¹⁾ | 24 knots 5,800 rpm ³⁾ | | | |
| | 2 people | | | | | 19 knots 5,600 rpm | 22 knots 5,700 rpm ³⁾ | | | |
| Electric drive Torqeedo 10.0 | 1 person | | | | 17 knots ²⁾ | | | | | |
| | 2 people | | | | 15 knots ²⁾ | | | | | |
| 20 hp | 1 person | | | | | 24 knots 6,100 rpm ¹⁾ | 25 knots 6,000 rpm ³⁾ | | | |
| | 2 people | | | 19 knots 5,500 rpm | 20 knots 5,500 rpm | 22 knots 5,700 rpm | 24 knots, 5,600 rpm ³⁾ | | | |
| | 4 people | | | 16 knots 5,300 rpm | 17 knots 5,300 rpm | 18 knots 5,500 rpm | | | | |
| 25 hp | 2 people | | | 24 knots 5,800 rpm ¹⁾ | 25 knots 5,950 rpm ¹⁾ | | | | | |
| | 4 people | | | 21 knots 5,500 rpm ¹⁾ | 23 knots 5,700 rpm ¹⁾ | | | | | |
| 30 hp | 1 person | | | 27 knots 5,900 rpm ¹⁾ | 26 knots 6,200 rpm | | | | | |
| | 2 people | | 26 knots 6,100 rpm ¹⁾ | 25 knots 5,700 rpm ¹⁾ | 25 knots 6,100 rpm | | | | | |
| | 4 people | | 25 knots 6,000 rpm ¹⁾ | | 24 knots 5,300 rpm | | | | | |
| 40 hp | 2 people | | 30 knots 5,700 rpm ¹⁾ | | | | | | | |
| | 4 people | | 28 knots 5,300 rpm ¹⁾ | | | | | | | |
| 50 hp | 2 people | | 32 knots 5,800 rpm ¹⁾ | | | | | | | |
| | 4 people | | 30 knots 5,400 rpm ¹⁾ | | | | | | | |
| 80 hp | 2 people | 33 knots 5,300 rpm ¹⁾ | | | | | | | | |
| | 4 people | 32 knots 5,300 rpm ¹⁾ | | | | | | | | |
| 100 hp | 2 people | 38 knots 5,300 rpm | | | | | | | | |
| | 4 people | 35 knots 5,300 rpm | | | | | | | | |

BOAT DATA

| | ARKIP 530 BR | ARKIP 460 | SPORTSMAN 445 CATCH | SPORTSMAN 445 MAX | SPORTSMAN 445 BASIC | SPORTSMAN 400 | SPORTSMAN 355 | SPORTSMAN 440*** | FISHING 410 |
|----------------------------------|---|---|---|--|--|--|--|--|--|
| LENGTH | 530 cm (576 cm with bathing platform) | 460 cm | 451 cm | 451 cm | 451 cm | 401 cm | 355 cm | 431 cm | 403 cm |
| WIDTH | 214 cm | 185 cm | 175 cm | 175 cm | 175 cm | 164 cm | 146 cm | 164 cm | 156 cm |
| TOTAL HEIGHT | 178 cm | 142 cm | 140 cm | 140 cm | 73 cm | 63 cm | 54 cm | 60 cm | 63 cm |
| WEIGHT | 610 kg | 292 kg | 252 kg | 227 kg | 189 kg | 125 kg | 84 kg | 94 kg | 75 kg |
| MAX. WEIGHT WITH MOTOR | 838 kg | 475 kg | 397 kg | 372 kg | 319 kg | 271 kg* | 157 kg | 139 kg | 97 kg |
| FREEBOARD HEIGHT | 81 cm | 58 cm | 50 cm | 50 cm | 50 cm | 47 cm | 45 cm | 50 cm | 50 cm |
| INTERIOR HEIGHT | 67 cm | 60 cm | 60 cm | 60 cm | 60 cm | 60 cm | 51 cm | 54 cm | 57 cm |
| HULL HEIGHT | 112 cm | 80 cm | 73 cm | 73 cm | 73 cm | 63 cm | 54 cm | 60 cm | 63 cm |
| HULL THICKNESS | 2.7 mm | 2.4 mm | 2.0 mm | 2.0 mm | 2.0 mm | 1.8 mm | 1.7 mm | 1.7 mm | 1.7 mm |
| HULL ANGLE | 16° | 12° | 9° | 9° | 9° | 8° | 2° | – | – |
| REC. MOTOR | 70-100 hp (51-74.6 kW) | 30-50 hp (22-38 kW) | 20-30 hp (14-23 kW) | 20-30 hp (14-23 kW) | 10-20 hp (7-15 kW) | 6-10 hp (4-8 kW) | 6-8 hp (4-6 kW) | 2.5-5 hp (1.8-4 kW) | 2.5-3.5 hp (1.8-2.7 kW) |
| REC. TORQEEEDO ELECTRIC DRIVE | | | | E.g Torqeedo Cruise 10.0 R (10.0 kW) | | | | E.g Torqeedo Travel 1003 (1,030 W) | |
| MAX. MOTOR POWER | 100 hp (74.6 kW) | 50 hp (38 kW) | 30 hp (23 kW) | 30 hp (23 kW) | 20 hp (15 kW) | 20 hp (15 kW) | 8 hp (6 kW) | 5 hp (4 kW) | 3.5 hp (2.7 kW) |
| CONTROL CABLE LENGTH | 4.80 m | 2.10 m | 2.10 m | 1.80 m | | Side console 1.80 m Mid console 2.70 m | | | |
| STEERING CABLE LENGTH | 4.80 m (hydraulic steering) | 2.70 m | 2.70 m | 2.40 m | | Side console 2.40 m Mid console 3.30 m | | | |
| SHAFT LENGTH | Long | Long | Long | Long | Long | Long | Short | Short | Short |
| MAX. LOAD | 675 kg | 525 kg | 465 kg | 465 kg | 484 kg | 420 kg | 320 kg | 400 kg | 300 kg |
| MAX. NO. PEOPLE | 6 | 5 | 3 | 4 | 4 | 4 | 3 | 4 | 3 |
| APPROVED BOW EYE | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 | Insurance class 3 |
| CE MARKED FOR CATEGORY | C – Inshore | C – Inshore | C – Inshore | C – Inshore | C – Inshore | D – Sheltered waters | D – Sheltered waters | D – Sheltered waters | D – Sheltered waters |
| MAX. SPEED | 2 people, 100 hp motor gives approx. 38 knots | 2 people, 50 hp motor gives approx. 32 knots | 2 people, 30 hp motor gives approx. 25 knots | 1 person, 30 hp motor gives approx. 26 knots | 1 person, 20 hp motor gives approx. 24 knots | 1 person, 20 hp motor gives approx. 25 knots | 1 person, 8 hp motor gives approx. 19 knots | 1 person, 5 hp motor gives approx. 11 knots | 1 person, 2 hp motor gives approx. 8 knots |
| STANDARD EQUIPMENT | 9-inch GPS/sonar, double console with door, gas-sprung flip-up comfort seats (vertically and laterally adjust- able), fixed tank (67 l), hydraulic steering, self-bailer, integrated step, stern seat pads, foldaway cover with box, automatic bilge pump, lights, rail, grab rails, bathing ladder, bathing platform, anti-slip aluminium floor grid, bollard, sacrificial anode, fire extinguisher, drain plug, Securmark security marking | 9-inch GPS/ sonar, automatic bilge pump, light, railing, grab rails, bathing ladder, anti-slip aluminium floor grid, bollard, sacrificial anode, fire extinguisher, drain plug, Securmark security marking | GPS/sonar, fishing lure holder, fishing chair mount, bow fore deck, railing, grab rail, automatic bilge pump, rescue ladder, rod holder, wide aluminium floor grid, bollard, sacrificial anode, drain plug, Securmark security marking | GPS/sonar, bow fore deck, railing, grab rails, auto- matic bilge pump, bathing ladder, wide aluminium floor grid, bollard, sacrificial anode, drain plug, Securmark security marking | Aluminium oars, automatic bilge pump, bathing ladder, aluminium floor grid, rowlock, oar blade holder, drain plug, sacrificial anode, drain plug, Securmark security marking | Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking | Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking | Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking | Aluminium oars, rescue ladder, rowlock, oar blade holder, drain plug, Securmark security marking |






| ACCESSORIES | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 1 "NAVALLOY" ANODE KIT Suitable for both fresh and salt water. Art. no. 712740 | • | • | • | • | • | • | • | • | • |
| 2 BOAT CART (MAX. LOAD 150 KG) Art. no. 405000 | | | | | | • | • | • | |
| 3 RAIL MOUNT Mount suitable for GPS, trolling rod holder, downrigger, etc. Art. no. 712000 | • | • | • | • | • | • | • | • | • |
| 4 WOODEN FLOORING Art. no. 619355 Art. no. 619401 (From 2007) Art. no. 619400 (Up to 2006) Art. no. 619410 Art. no. 619440 | | | | | | • | | | • |
| 5 ALUMINIUM FLOORING Art. no. 610355 Art. no. 610400 | | | | | | • | | | • |

| ACCESSORIES | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 6 DRAIN PLUG (STANDARD) Art. no. 621000 | • | • | • | • | • | • | • | • | • |
| 7 ELECTRIC MOTOR MOUNT (For aluminium motor plate.) Art. no. 712009 Art. no. 712010 Art. no. 712011 (If combining with fishing chair) | | | • | • | • | | • | • | • |
| 8 ELECTRIC MOTOR MOUNT Mounted on the bow. Art. no. 712012 (Up to 2014) | | • | | | | | | | |
| 9 FISHING LURE HOLDER, ALUMINIUM Art. no. 211074 (Standard on 445 Catch) | • | • | • | • | • | • | • | • | • |

| ACCESSORIES | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 10 FISHING PLATFORM Made of aluminium/chequered plate with hatches. (Can be used with fishing chair.) Art. no. 712026 | | | • | • | | | | | |
| 11 FISHING CHAIR, COLLAPSIBLE BACK Includes chair column and base. Fits 530 BR, 460, 445 Basic and 445 Max with fishing platform/deck and fishing chair mount. Art. no. 719003 | | | | | | • | • | • | • |
| 12 FISHING CHAIR MOUNT Can be fitted in the fishing platform/deck that is an accessory for 530 BR, 460, 445 Basic and 445 Max. Art. no. 719004 | | | • | • | • | | | | |
| 13 BOW DECK For stowing rope ends and anchor. Also serves as a fishing platform (standard on 445 Max as of 2014). Art. no. 712020 Not suitable for combining with bow electric motor or seat pads (complete set). | | | • | • | | | | | |

| ACCESSORIES | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 14 BOW DECK FOR ELECTRIC MOTOR, 445 B/M Made of aluminium/chequered plate. Includes electric motor mounting plate. Fits 445 Basic as of 2019 (standard as of 2020) Fits 445 Max as of 2013 (standard as of 2014) Art. no. 712021 | | | • | • | | | | | |
| 15 BOW DECK FOR ELECTRIC MOTOR, 400 Made of aluminium/chequered plate. For bow mounting of electric motor. Includes aluminium, electric motor mounting plate. Art. no. 712022 | | | | | | • | | | |
| 16 SONAR TRANSDUCER MOUNT Aluminium. Adjustable. Height: 280 mm, width: 80 mm. Mounts on transom. Art. no. 712008 | | • | • | • | • | • | • | • | • |



ACCESSORIES





| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 1 BOW GRAB RAILS/"SHARK FINS" Width: 37 cm. Height: 46 cm. Art. no. 628000 | | | • | | • | • | • | • | • |
| 2 PLASTIC HANDLE (STANDARD) Art. no. 811269 | | | • | | • | • | • | • | |
| 3 SPRAY COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302445 | | | | • | | | | | |
| 4 SPRAY COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302460 (From 2015) Art. no. 302471 (Up to 2014) Does not fit with left-hand console or water skiing tow bar. | | • | | | | | | | |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 5 DOUBLE CONSOLE STERN COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302462 (From 2015) Art. no. 302470 (Up to 2014) Does not fit with water skiing tow bar. | | | • | | | | | | |
| 6 COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302400 | | | | | • | | | | |
| 7 COVER, DRIVABLE Max. speed with car 30 kph. Grey acrylic fabric. Art. no. 302440 | | | | | | | | | • |

ACCESSORIES

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 8 BASIC COVER, HARBOUR, GREY POLYESTER Art. no. 302446 Art. no. 302356 Art. no. 302401 Art. no. 302411 Art. no. 302441 | | | • | • | • | | • | | • |
| 9 BASIC COVER, HARBOUR, GREY POLYESTER Art. no. 302461 Does not fit with water skiing tow bar. | | • | | | | | | | |
| 10 NAVIGATION LIGHT SET Light set, LEDs. For retrofitting to small motor boats. Battery-powered. 1 white all-around light (for stern fitting). 1 green/red/white (for bow fitting). 1 telescopic stand, 100 cm. 1 stand mount. Acid-resistant stainless steel screws included. Art. no. 712800 | | | | | | | | | |
| 11 SECURITY KIT (Insurance class 3 padlock with 2.5 m chain & sleeve.) Art. no. 626000 | | | • | • | • | • | • | • | • |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 12 LÄNSMAN BILGE PUMP Automatic bilge pump that fits on the mooring line. Easy to install. Practical to take along. Locks into place. Can pump out up to 2,500 litres a day. Art. no. 606600 | | | • | • | • | • | • | • | • |
| 13 ELECTRIC BILGE PUMP SET For boats with steering console 717400. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker for the steering console. Art. no. 718000 | | | | | | | | | • |
| 14 ELECTRIC BILGE PUMP SET For boats without steering console. Includes: Automatic bilge pump, cable trunk, mounting plate and contact breaker. Art. no. 718001 | | | | | | | | | • |
| 15 BILGE PUMP – SMART, WAVE-OPERATED To get water out of the boat, simply hang the pump over the side (pump body floating on the water). Wave action then operates the pump. Art. no. 606500 | | | • | • | • | • | • | • | • |



ACCESSORIES






| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 1 FISHING DECK CARPET 6 mm thick drainage carpet, UV-resistant. Art. no. 627500 | | | | | • | | | | |
| 2 MUG HOLDER 2-pack, grey plastic Art. no. 712650 | • | • | • | • | | | | | |
| 3 MOORING BOLLARD Anodised aluminium. Art. no. 623020 | | | | | | • | • | • | • |
| 4 CONSOLE 460, LEFT-HAND Art. no. 714460 (From 2015) Art. no. 714461 (Up to 2014) | | • | | | | | | | |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 5 CONSOLE COVER Grey acrylic fabric. For right-hand console. Art. no. 302464 (From 2015) Art. no. 302467 (Up to 2014) For left-hand console. Art. no. 302466 (From 2015) Art. no. 302468 (Up to 2014) | | | • | • | • | | | | |
| 6 GUNWALE BUCKET, 15 LITRES Blue bucket to be hung on the rail. Art. no. 622000 | | | • | • | • | • | • | • | • |
| 7 RAIL Grip-friendly rail for mounting of accessories. Easy to retrofit. Set of four rails. Aluminium. Art. no. 712030 | | | | | | | | | • |

ACCESSORIES

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 8 RESCUE LADDER (RETROFIT) Foldaway, aluminium rescue ladder. Art. no. 712730 Art. no. 712720 Art. no. 712710 Art. no. 712700 | | | | | | • | | • | |
| 9 SEAT PADS, STERN Stern seat pads. Art. no. 627446 | | | | | • | | | | |
| 10 STERN SEAT PAD SET - Back pad - Side pad, starboard - Centre pad - Side pad, port Art. no. 627460 | | | | | | | | | • |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 11 BOW SEAT PAD SET - Side pad, starboard - Side pad, port Art. no. 627530 | | | | | | | | • | |
| 12 BOW SEAT PAD SET - Side pad, starboard - Pad, bow - Side pad, port Art. no. 627461 | | | | | | | | • | |
| 13 SEAT PADS, COMPLETE SET - Stern seat pads - Midship seat pads - Bow seat pad Not suitable for combining with bow stowage deck, art. no. 712020. Art. no. 627445 | | | | | | | | | • |



ACCESSORIES



| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 1 COMBINED SUN/FISHING DECK In chequered plate. Can be combined with fishing chair. Art. no. 712025 | | • | | | | | | | |
| 2 BOW SEAT PAD, SUN DECK Art. no. 627462 | | • | | | | | | | |
| 3 COMBINED SUN/FISHING DECK, 530 In chequered plate. Can be combined with fishing chair. Art. no. 712027 | • | | | | | | | | |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 4 SOLAR CELL PACK 1 marine solar panel, 35 W (2A) 1 charge regulator 1 battery box Cables, screws and mounts for the solar panel. Art. no. 712900 | | | | | | | | • | |
| 5 RATCHET STRAP, 3.5 M, STAINLESS STEEL Grey polyester with stainless steel ratchet. Art. no. 612500 | • | • | • | • | • | • | • | • | • |
| 6 RATCHET STRAP, 5.5 M Blue polypropylene (with ratchet). Art. no. 612000 | • | • | • | • | • | • | • | • | • |

ACCESSORIES

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 7 ROD HOLDER Blue aluminium. Holds the rod in place when fishing. Fits on boat rail. Art. no. 623400 | • | • | • | • | | | | | |
| 8 TUBE ROD HOLDER Black plastic with 3 holders. Standard on 445 Catch. Art. no. 623000 | • | • | • | • | • | • | • | • | • |
| 9 MOUNT FOR TUBE ROD HOLDER Mount for tube rod holder (fits to hull). Standard on 445 Catch. Art. no. 623010 | | • | • | • | • | • | • | • | • |
| 10 ROD HOLDER Holds the rod in place when fishing. Can be mounted and adjusted many ways. Easy to assemble. Art. no. 623100 | • | • | • | • | • | • | • | • | • |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 11 STARTER PACK Contains padlock, 2.5-metre chain (insurance class 3), 6-metre mooring rope, lead weight on 20-metre line with snap-hook, bailer and sponge. Art. no. 625000 | • | • | • | • | • | • | • | • | • |
| 12 STEERING CONSOLE, CENTRE, FROM 2007 Mounts on reinforcing profiles. Art. no. 715400 | | | | | | | | • | |
| 13 STEERING CONSOLE, RIGHT-HAND, FROM 2007 Mounts to gunwale and reinforcing profile. Space for battery and box inside the console. Art. no. 717400 | | | | | | | | • | |
| 14 TELESCOPIC OUTBOARD HANDLE EXTENSION/ TILLER EXTENSION For better trim when alone in the boat, it is advisable to sit on the centre seat. Length: 700–1,200 mm. Art. no. 620000 | | | | | | | | | • |



ACCESSORIES

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 1 WATER SKIING TOW BAR The pylon is easy to remove. The mounts remain on the boat. Art. no. 712530 | • | | | | | | | | |
| 2 WATER SKIING TOW BAR Art. no. 712500 <i>Cannot be combined with electric motor mount/cover.</i> | | • | | | | | | | |
| 3 WINDSCREEN FOR SIDE CONSOLE, FROM 2007 Transparent polycarbonate, 5 mm thick. Fits steering console, art. no. 717400. Art. no. 717401 | | | | | | | | • | |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 4 WINDSCREEN FOR STEERING CONSOLE, FROM 2007 Transparent polycarbonate, 5 mm thick. Fits steering console, art. no. 715400. Art. no. 714403 | | | | | | • | | | |
| 5 WINDSHIELD FOR DOUBLE CONSOLE Grey acrylic fabric. Art. no. 302463 (From 2015) Art. no. 302469 (Up to 2014) | | | • | | | • | | | |
| 6 BAILER In orange plastic. Art. no. 604000 | • | • | • | • | • | • | • | • | • |

OARS

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|---|-------|-----|------|------|------|-----|-----|-----|-----|
| 7 SAFETY ROWLOCK (STANDARD) In aluminium. Sold individually. Art. no. 711250 | | | • | | • | • | • | • | • |
| 8 OAR BLADE HOLDER (STANDARD) To hold oar in place. Polyethylene foam. Sold individually. Art. no. 711605 | | | • | | • | • | • | • | • |
| 9 ALUMINIUM ROWLOCK Fitted to oar and then inserted in rowlock mount (which is fitted to the boat). Sold individually. Art. no. 112001 | | | • | | • | • | • | • | • |
| 10 ROWLOCK / ROWLOCK HOLDER FOR GRAB RAIL Art. no. 810819 Rowlock. Sold individually. Art. no. 711004 Holder for rowlock. Sold individually. | | | • | • | • | | | | |
| 11 ROWLOCK HOLDER, ANGLED Standard in Linder boats. In aluminium. Fits safety or standard rowlock. Sold individually. Art. no. 711001 | | | • | | • | • | • | • | • |
| 12 PLASTIC SLEEVE FOR ROWLOCK HOLDER Art. no. 711003 Standard. Sold individually. Art. no. 711608 Nov 2004 – Oct 2007. Sold individually. | | | • | | • | • | • | • | • |

| | 530BR | 460 | 445B | 445M | 445C | 400 | 355 | 440 | 410 |
|--|-------|-----|------|------|------|-----|-----|-----|-----|
| 13 OAR SLEEVE Protects oar from wear. Sold individually. Art. no. 112010 | | | • | | • | • | • | • | • |
| 14 ALUMINIUM OARS With plastic blade and handle. Sold in pairs. Art. no. 113080 8 foot (2.4 m) Art. no. 113085 8.5 foot (2.55 m) Art. no. 113090 9 foot (2.7 m) <i>Rowlock not included.</i> | | | | | | | | • | • |
| 15 OARS Oars are made of laminated, glued, pine. Sold in pairs. Art. no. 115050 5 foot (1.5 m) Art. no. 115060 6 foot (1.8 m) Art. no. 115070 7 foot (2.1 m) Art. no. 115080 8 foot (2.4 m) Art. no. 115085 8.5 foot (2.55 m) Art. no. 115090 9 foot (2.7 m)* Art. no. 115100 10 foot (3.0 m) Art. no. 115110 11 foot (3.3 m) Art. no. 115120 12 foot (3.6 m) <i>Rowlock not included.</i> <i>*Applies to 460 and 445M with rowlock mount fitted to rail.</i> | | | | | | | | • | • |

ALUMINIUM CANOES



INKAS 465L A light and versatile canoe for two people, lakes and rivers. Highly manoeuvrable and perfect even for one person. Simple to load onto a car roof. Suitable for private use. Unsinkable. Three-year guarantee.
Art. no. 465200



INKAS 465 A light and versatile canoe for two people, lakes and rivers. Simple to load onto a car roof. Highly manoeuvrable. Perfect for private use, young people and daily rental. Unsinkable. Three-year guarantee.
Art. no. 465000





INKAS 495 Just the right size for two people with plenty of gear. Suitable for weekend trips and rental. Unsinkable. Three-year guarantee.
Art. no. 495000



INKAS 525 The only canoe approved for three people. From stable family-canoe to adventure-canoe, Inkas 525 can be used on the sea and in rivers. Suitable as week-long rental canoe with plenty of room for gear. Unsinkable. Three-year guarantee.
Art. no. 525000





| | LENGTH (cm) | WIDTH (cm) | WEIGHT (kg) | BOW/STERN HEIGHT (cm) | LOAD CAPACITY (kg) | MAX. NO. PEOPLE | HULL THICKNESS (mm) |
|------------|-------------|------------|-------------|-----------------------|--------------------|-----------------|---------------------|
| INKAS 525 | 525 | 90 | 38 | 35 | 400 | 3 | 1.25 |
| INKAS 495 | 495 | 90 | 36 | 33 | 400 | 2 | 1.25 |
| INKAS 465 | 465 | 85 | 33 | 33 | 340 | 2 | 1.25 |
| INKAS 465L | 465 | 85 | 28 | 33 | 340 | 2 | 1 |



ACCESSORIES

| | 525 | 495 | 465 | 465L |
|--|-----|-----|-----|------|
| 1 INKAS STRAP, 3.5 M With buckle. Art. no. 612350 | • | • | • | • |
| 2 BICYCLE TOWING ASSEMBLY Specially designed towing device. Complete with bicycle bracket. Art. no. 711525 | • | • | • | • |
| 3 INKAS CANOE CART Strong aluminium design. Solid tyres and fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 406000 | • | • | • | • |
| 4 INKAS CANOE CART, COLLAPSIBLE Strong aluminium design. Solid tyres and fixed bearings. Weight: 6 kg. Load capacity: 100 kg. Art. no. 407000 | • | • | • | • |
| 5 INKAS WOODEN CANOE SEAT, COLLAPSIBLE In plywood. 30 x 33 cm. Seat height about 5 cm from the bottom. Art. no. 601000 | • | • | • | • |

| | 525 | 495 | 465 | 465L |
|--|-----|-----|-----|------|
| 6 KNEE/SEAT PAD Black, heat-retaining polyethylene foam. 50 x 25 x 2 cm. Art. no. 606000 | • | • | • | • |
| 7 CANOE MOORING SHACKLE Art. no. 612360 | • | • | • | • |
| 8 MOTOR BRACKET In aluminium with plate in wood. Suitable for electric motors. Art. no. 605525 | • | • | • | • |
| 9 WATERTIGHT PACK SACK (50 LITRES) Watertight pack sack with carrying handle. Easy to close. Art. no. 609000 | • | • | • | • |
| 10 PACK BIN (60 LITRES) With sealing lid and handle. Art. no. 610000 | • | • | • | • |



ACCESSORIES

| | 525 | 495 | 465 | 465L |
|---|-----|-----|-----|------|
| 1 PONTOONS Inflatable pontoons for extra stability (fishing, disabled, etc.). Length: 1,370 mm. Diameter: 220 mm. Art. no. 706525 | • | • | • | • |
| 2 ROWING RIG Easily mounted on the rail. Rowlock and oars are additional. 9-foot oars are recommended. Weight 5 kg. Art. no. 707525 | • | • | • | • |
| 3 BACK SUPPORT Plywood and steel tube (painted grey) backrest. Attaches to seat. Sit more comfortably! Art. no. 605000 | • | • | • | • |
| 4 SAIL EQUIPMENT Pram sail (3.5 m ²) and complete rigging. Art. no. 708525 | • | • | • | • |

| | 525 | 495 | 465 | 465L |
|---|-----|-----|-----|------|
| 5 SEAT Art. no. 700101 Wooden seat, no. 1* Art. no. 700102 Wooden seat, no. 3* Art. no. 700108 Wooden seat, no. 3* Art. no. 700104 Aluminium seat, no. 3 Art. no. 700106 Aluminium seat, no. 3 Art. no. 700103 Wooden seat, no. 4* Art. no. 700105 Aluminium seat, no. 4 Art. no. 700100 Wooden seat, no. 2* <i>* All wooden seats are oil impregnated and have woven Terylene straps. Screws are included.</i> | • | • | • | • |
| 6 REMOVABLE CANOE SEATS With insulated seat pads. To be hung on the cross support. Seat height 20 cm. Art. no. 700200 | • | • | • | • |



PADDLE

| | 525 | 495 | 465 | 465L |
|---|-----|-----|-----|------|
| 7 INKAS PLASTIC PADDLE WITH ALUMINIUM HANDLE Blade and knob of strong polypropene. Blade width: 200 mm. Weight: approx. 850 g. Art. no. 114130 130 cm Art. no. 114140 140 cm Art. no. 114150 150 cm Art. no. 114160 160 cm Art. no. 114170 170 cm Art. no. 114180 180 cm | • | • | • | • |
| 8 INKAS WOODEN PADDLE Manufactured from very high quality fir. Blade width: 150 mm. Weight: approx. 850 g. Art. no. 104100 100 cm Art. no. 104125 125 cm Art. no. 104140 140 cm Art. no. 104150 150 cm Art. no. 104160 160 cm Art. no. 104170 170 cm Art. no. 104180 180 cm | • | • | • | • |
| 9 INKAS DOUBLE PADDLE, DIVISIBLE Art. no. 109225 225 cm Art. no. 109240 240 cm | • | • | • | • |
| 10 DRIP RING Art. no. 111000 | • | • | • | • |

LIFE JACKETS

| | | | | |
|--|---|---|---|---|
| 11 INKAS CANOE JACKET For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201030 30–50 kg Art. no. 201050 50–70 kg Art. no. 201090 70 kg upwards | • | • | • | • |
| 12 INKAS CANOE JACKET (ORANGE) For swimmers using Canadian canoes. CE approved. Comfortable and hard-wearing. Art. no. 201100 40–130 kg | • | • | • | • |
| 13 BALTIC LIFE JACKET For non-swimmers and swimmers in coastal/inland waters. CE approved. Good fit. With split front for greater mobility and comfort. Art. no. 205010 3–10 kg Art. no. 205015 10–20 kg Art. no. 205030 15–30 kg Art. no. 205040 30–40 kg Art. no. 205050 40–50 kg Art. no. 205070 50–70 kg Art. no. 205090 70–100 kg Art. no. 205100 100 kg upwards | • | • | • | • |
| 14 LINDER BUOYANCY AID For swimmers. CE approved. Convenient to use. With split front for greater mobility and comfort. Art. no. 206051 30–50 kg Art. no. 206071 50–70 kg Art. no. 206091 70–90 kg Art. no. 206101 90 kg upwards | • | • | • | • |



Made in Sweden



Aluminium boats



EVERYTHING ABOUT OUR BOATS www.linder.se

Visit www.linder.se
for lots more information,
accessories and good advice.

Linder Aluminiumbåtar AB
Kanotleden 5
SE-362 32 Tingsryd
Sweden

Tel. +46 477 190 00
Email: info@linder.se
www.linder.se